

## Chandigarh Pollution Control Committee Ground Floor, Paryavaran Bhawan, Sector 19-B, Madhya Marg Chandigarh-160019

## Form IV (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of Health Care Facility(HCF),or Common Bio-medical Waste Treatment Facility (CBMWTF)]

**Return No:** 560557 **Period:** 2023

1. Particulars of the Occupier						
(i) Name of the authorized person (Occupier or operator of facility):	Paramjeet Singh					
(ii) Name of HCF or CBMWTF:	Alliance Envirocare company Pvt Ltd					
(iii) Address for Correspondence:	182/9 Industrial area, Phase 1					
(iv) Address of Facility:	182/9, Industrial Area, phase-I, Chandigarh Industrial Area 1 Chandigarh					
(v) Tel. No.:	9216594568					
(vi) Fax. No.:	0172 - 5017402					
(vii) E-mail ID:	alliance_envirocare@yahoo.com					
(viii) URL of Website:	www.allianceenvirocare.com					
(ix) GPS coordinates of HCF of CBMWTF:	30.703779, 76.797173					
(x) Ownership of HCF or CBMWTF:	Private					
(xi) Status of Authorization under the Bio-medical Waste Management Rules 2016:	Authorization No.: CPCC/BMW/2024/01/18 Dated 05/04/2024 Valid Upto: 30/11/2028					
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 30/11/2028					
2. Type of Health Care Facility						
HCF/CBMWTF Type:	CBMWTF					
(i) Number healthcare facilities	950					
covered by CBMWTF:						
(ii) No. of beds covered by CBMWTF:	4952					
(iii) Installed treatment and disposal	9800					
capacity of CBMWTF:						
(iv) Quantity of BMW	6347					
treated or disposal by CBMWTF:						
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 1433102 Red Category: 722293 White Category: 6467 Blue Category: 154748 General Solid Waste: 0					
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details						
(i) Details of the on-site storage facility:	Size: 18720 Capacity: 18000 Provision of on-site storage:					

(ii) Disposal Facility:		Type of Treatmen t Equipmen	Number of Units	Capaci Kg/da		Quantity Treated or Disposed(	
		t				Kg/annu m)	
		Incinerato	2	4800	)	1433102	
		rs Autoclaves	2	5000	)	883508	
		Shredder	2	1200		694636	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	694636						
(iv) No of vehicles used for collection and transportation of BMW:	16						
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum		Type of waste Quar Gener				Where disposal	
		Ash 1678		7811 Resustainab y Ltd. at Nimbua Punjab (TSD		y Ltd. at Nimbua	
		ETP Sludg	se 89	y Ltd. Nimbi		sustainabilit y Ltd. at Nimbua njab (TSDF)	
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	Alliance Envirocare Company Pvt Ltd						
5. Do you have BMW management committee:	yes						
details:							
6. Training Conducted on BMW Details							
(i) Number of training conducted on BMW Management:	04						
(ii) Number of personnel trained:	06						
(iii) Number of personnel trained at the time of induction:	55						
(iv) Number of personnel not undergone any training so far:	0						
(v) Whether standard manual for training is available:	yes						
(vi) Any other information:	N/A						
7. Details of the accident occurred	1						
(i) No. of accident occurred:	0						
(ii) Number of the persons affected:	0						
(iii) Remedial Action taken:	N/A						
(iv) Any Fatality occurred, details:	N/A						
8. Are you meeting the standards of air Pollution from the incinerator? (i) How many times in last year could not met the standards?:	YES, ZERO TIMES						
Details of Continuous online emission monitoring systems installed:	Installed by Drexel Electronics, Mohali						
9. Liquid waste generated and treatment methods in place. (i) How many times you have not met the standards in a year:	Zero Times						
10. Is the disinfection method or sterilization meeting the standards? (i) How many times you have not met the standards in a year?:	Zero Times						

1	1	Δnv	other	relevant	inform	ation•
ı	. 1.	Ally	omer	reievani	шиоги	iauon.

CBWTF is complied with Air & Water (Protection) Act

## Name and Signature of the Head of the Institution

Date: 26/06/2024

Place: Industrial Area 1